



ऐसेलुखर्क गाउँपालिका
गाउँ कार्यपालिकाको कार्यालय

ऐसेलुखर्क, खोटाङ
प्रदेश नं. १, नेपाल

क्याटलग/ब्रोसर सपिङ्ग विधिबाट ट्याक्टर खरिद सम्बन्धी सिलबन्दी प्रस्ताव आव्हानको सूचना
प्रथम पटक प्रकाशित मिति २०७९/०८/१३

यस कार्यालयको आ.व. २०७९।०८० को स्वीकृत वार्षिक कार्यक्रम अनुसार देहाय बमोजिमको सामान सार्वजनिक खरिद ऐन, २०६३ (पहिलो संशोधन २०७३) को दफा ८ को उपदफा १(क) (८) तथा सार्वजनिक खरिद नियमावली, २०६४ (चौथो संशोधन) को नियम ३१(ख) बमोजिम त्यस्तो सवारी साधन उत्पादक कम्पनी वा सो को नेपालका लागी आधिकारिक बिक्रेताहरु बीच मात्र प्रतिस्पर्धा गराउने (क्याटलग सपिङ्ग) विधिबाट खरिद गर्नुपर्ने भएकोले सार्वजनिक खरिद नियमावली, २०६४ को नियम ३१(ख) को उपनियम २ अनुसार देहाय बमोजिम मेसीनरी उत्पादकको आधिकारिक स्पेशिफिकेशन, गुणस्तर र कम्पनीको आधिकारिक मूल्य खुल्ने कागजात (क्याटलग वा ब्रोसर) संलग्न राखि तपसिलमा उल्लेख भए बमोजिमको प्रस्ताव दर्ता गराउनु हुन सम्बन्धित उत्पादक वा आधिकारिक बिक्रेताको जानकारीको लागी यो सूचना प्रकाशित गरिएको छ।

- १) यस कार्यालयबाट स्वीकृत भएको ट्याक्टरको विस्तृत प्राविधिक स्पेशिफिकेशन यस कार्यालयबाट निशुल्क प्राप्त गर्न सकिने छ ।
- २) उक्त कागजात लिनका लागी ईच्छुक सवारी साधन उत्पादक कम्पनी वा सो को नेपालका लागी आधिकारिक बिक्रेताले उक्त सवारी साधन बिक्री गर्न नेपाल सरकारको सम्बन्धित निकायबाट प्राप्त भएको अनुमति पत्र, सो को अद्यावधिक नवीकरण भएको पत्र, स्थायी लेखा नम्बर (PAN) तथा मूल्य अभिवृद्धि कर दर्ता प्रमाणपत्र, आ. व. २०७८/०७९ सम्मको कर चुक्ता गरेको प्रमाणित कागजात, उक्त मेसीनरी सप्लाई गरेको हालसम्मको विस्तृत विवरण, सम्बन्धित कार्य अनुभवको प्रमाणपत्र सहितका कागजात सहित यो सूचना प्रकाशित भएको मितिले १५ औं दिन १२:०० बजेसम्म यस कार्यालयमा पेश गर्नु पर्नेछ ।
- ३) यो सूचना प्रकाशित भएको मितिले १५ औं दिन १२:०० बजेसम्म यस कार्यालयमा छुटाछुट्टै सिलबन्दी प्रस्ताव दर्ता गराउन सकिने छ तथा दर्ता गरिएका सिलबन्दी प्रस्तावहरु सोही दिन १४:०० बजे खोलिनेछ ।
- ४) साथै सूचिकृत नभएका उत्पादक वा आधिकारिक बिक्रेता कम्पनीहरुले सूचिकृत गराई उक्त सिलबन्दी प्रस्ताव पेश गर्न सकिने ब्यहोरा समेत जानकारी गराइन्छ ।
- ५) पेश गर्ने अन्तिम दिन सार्वजनिक विदा परेमा विदा पछिको कार्यालय खुलेको दिन पेश गर्न सकिने छ ।

सि.नं.	सवारी साधनको नाम	परिमाण	संक्षिप्त विवरण	कैफियत
१	ट्याक्टर ट्रलि सहित	१ थान	स्पेशिफिकेशन अनुसारको हाइड्रोलिक ट्रलि (ढाला) सहितको 4WD ट्याक्टर	संक्षिप्त विवरणमा उल्लेख नभएका कुराहरु क्याटलग र स्वीकृत Technical Specification बमोजिम हुनेछ ।

प्रमुख प्रशासकीय अधिकृत

रामेश बहादुर थापा
प्रमुख प्रशासकीय अधिकृत



Technical Specifications

Equipment: Tractor with Hydraulic Trailer

Quantity: 1 Unit

(Signature)
Rekh Bahadur Thapa
 Chief Administrative Officer

S.N.	CRITERIA	REQUIREMENT	OFFERED SPECIFICATION
1	General	Heavy duty 4WD tractor with Approx. 3.5 cu. m. hydraulic tipping trailer , made with all steel rectangular body and drop type side cargo deck for transfer of construction material and cargo. Tractor should be suitable for operation in hilly roads and adverse climatic conditions at ambient temperature varying between -5 to 50 degree centigrade. Gross weight of tractor shall not be less than 2200 kg.	Make: Model: Country of Origin: Mfg. Year:
2	Engine	4 stroke, diesel engine developing maximum output power not less than 55 HP (engine fully equipped with accessories) at the governed speed for full load operation. Shall be equipped with cold starting device, heavy duty air cleaner, heavy duty fuel filter system, and direct electric starting system with heavy duty batteries.	Make: Model: Power:
3	Maximum Lifting Capacity	Not less than 2000 kg	
4	Cargo Box & Performance	Rear dump type standard trailer body made of all steel material with flat base, reinforced to withstand impact of shovel loading. The both side of the body should also have provision to fold as and when required to load and unload materials from side (drop type side deck). Trailer cargo box Body should be fitted with complete hydraulic tipping system for smooth tipping application. Capacity of Trailer box: Approx 3.5 Cubic meter	
5	Size of the Trailer	Approx. Length – 3050 mm Approx. Width – 1850 mm Approx. Height - 620 mm Note: Trailer should be supplied with net(jali) welded 10*5 grill plate on 40*5 angle frame including opening door on back side with painting all completed. opening of net(jali) 2.5"*2.5" and jali size 10' *6'*1.7'	
6	Emission Standard	The emission standard of the offered vehicle must be in compliance with or superior than the applicable Standard as prescribed by "Nepal Vehicle Mass Emission Standard" which is to be certified by Department of Transport Management.	
7	Gauges	Gauges or meters as necessary for efficient operation and maintenance.	
8	Axles	Steel heavy duty I eam	
9	Transmission	Manual shift at least four forward and one reverse, constant mesh type.	
10	Steering	Power steering	
11	Brakes	Mechanical, dry disc or oil immersed and separate parking brake.	
12	Tyres	Standard Size	



Rekh Bahadur Thapa
Chief Administrative Officer

13	Essential Accessories	Following accessories should be supplied with each equipment a) Head light and turn Signals b) Front and rear tow hooks. c) Heavy duty front bumper. e) Hydraulic jack. Equipped with all accessories offered in standard model but not limited to the above items.	
14	Paint	Standard Colour	
15	Instructions	All signs and instructions in the equipment shall be in English.	
16	Manuals	One copy of the Operator's and Owner's Instructions and Maintenance manual in English shall be supplied with each equipment/vehicle	
17	Tools	A set of tools as required for general maintenance shall be supplied within a lockable tool box for both tractor and suction machine.	
18	Proven performance	The machine offered shall be a current model under standard production by the manufacturer for at least one year.	
19	Warranty	Manufacturer shall provide a minimum of one year warranty after acceptance on both Tractor and Trailer.	
20	Delivery	The Tractor with Hydraulic Trailer shall be delivered to: Aiselukhark Rural Municipality, Office of The Rural Municipality, Aiselukhark, Khotang	

Note:

The major items are indicated by bold and highlighted letters/alphabets/figures in the technical specifications. Non-compliance of these major items will result in non-responsiveness of the bid offer .

Bidder's Signature.....

Date.....

Prepared BY:

Approved By: